


Oil Pattern Distance	41	Reverse Brush Drop	37	Oil Per Board	50 ul
Forward Oil Total	10.95 mL	Reverse Oil Total	10.8 mL	Volume Oil Total	21.75 mL
Tank Configuration	N/A	Tank A Conditioner	FIRE	Tank B Conditioner	ICE

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	3L	3R	1	14	A	35	0.0	0.0	0.0	1750
2	5L	5R	1	14	A	31	0.0	1.9	1.9	1550
3	7L	7R	1	18	A	27	1.9	4.4	2.5	1350
4	9L	9R	1	18	A	23	4.4	6.9	2.5	1150
5	9L	9R	2	22	A	46	6.9	13.1	6.2	2300
6	11L	11R	1	22	A	19	13.1	16.2	3.1	950
7	11L	11R	2	22	A	38	16.2	22.4	6.2	1900
8	2L	2R	0	30	A	0	22.4	41.0	18.6	0

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	B	0	41.0	34.0	-7.0	0
2	13L	13R	1	26	B	15	34.0	30.4	-3.6	750
3	11L	11R	2	26	B	38	30.4	23.1	-7.3	1900
4	11L	11R	2	26	B	38	23.1	15.8	-7.3	1900
5	9L	9R	1	22	B	23	15.8	12.7	-3.1	1150
6	9L	9R	1	22	B	23	12.7	9.6	-3.1	1150
7	8L	8R	1	18	B	25	9.6	7.1	-2.5	1250
8	8L	8R	1	14	B	25	7.1	5.2	-1.9	1250
9	6L	6R	1	14	B	29	5.2	3.3	-1.9	1450
10	2L	2R	0	10	B	0	3.3	0.0	-3.3	0



Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	8.64	1.48	1	1	1.48	8.64

